



Poly CCX 600 Business Media Phone



Package Contents


With Handset Cradle




Handset




Handset Cord



Without Handset Cradle



Network Cable




Setup Sheet



Optional Accesories




AC power adapter
(varies by region)



Wallmount


For more information on optional accessories, contact your reseller.

Features




*Icon displays only when the phone is powered on and the service is available. Icon may vary.
** Icon displays when the phone is powered on.


Connect Cables



Adjust the Desktop Stand



Connect Optional Headset



Your phone supports USB and wired headsets, including Electronic Hook Switch (EHS) headsets.

For connection directions, refer to your headset documentation. Standard headsets use the RJ-9 or USB port while EHS headsets typically use the RJ-9 and EHS ports.



BY USING THIS PRODUCT, YOU ARE AGREEING TO THE TERMS OF THE END USER LICENSE AGREEMENT (EULA) AT:
<http://documents.polycom.com/indexes/licenses>. IF YOU DO NOT AGREE TO THE TERMS OF THE EULA, DO NOT USE THE PRODUCT, AND YOU MAY RETURN IT IN THE ORIGINAL PACKAGING TO THE SELLER FROM WHOM YOU PURCHASED THE PRODUCT.

Refer to the Limited Warranty section of the Product Warranty Guide found under Services at <http://support.polycom.com/>

Hereby, Poly declares that the radio equipment type CCX 600 is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at typeapproval@poly.com.

Frequency Range	Maximum Transmit Power
2402MHz–2480MHz	13.6 dBm
5180MHz–5210MHz	13.41 dBm
5290MHz–5320MHz	12.67 dBm
5500MHz–5700MHz	12.74 dBm

Polycom Documentation
www.polycom.com/support

