

Yealink


For more information
please scan



Unboxing Video

MD-PTZBracket

Quick Start Guide V1.0




Please read this guide before installation to avoid unnecessary personal injury and damage to the endpoint.

CONTENT

English.....	1
Deutsch.....	3
Français.....	5
Español.....	7
Nederlands.....	9


1 Package Content



Bracket*1



1/4 inch *12 mm
Screw*6



(1.5m, 4.92ft)
USB 2.0 (A - B) Cable




Quick Start Guide*1


MD-PTZBracket Installation

Using the MD-PTZBracket, the device can be secured under the MeetingDisplay. The following example shows UVC86 installed under MeetingDisplay 75.


1. Install the MD-PTZBracket.




2. Place the UVC86.



3. Fixed UVC86.




1 Verpackungsinhalt



Bracket*1



1/4 inch*12 mm
Schraube*6



(1,5m, 4,92ft)
USB-Kabel 2.0 (A - B)




Schnellstartanleitung*1


MD-PTZBracket Installation

Mit dem MD-PTZBracket kann das Gerät unter dem MeetingDisplay gesichert werden. Das folgende Beispiel zeigt UVC86, das unter MeetingDisplay 75 installiert ist.


1. Installieren Sie die MD-PTZ-Halterung.




2. Platzieren Sie das UVC86.



3. Fixed UVC86.



1 Contenu de l' emballage




Bracket*1



1/4 inch × 12 mm
Screw*6



(1,5m, 4,92ft)
Câble USB 2.0 (A - B)




Guide de démarrage
rapide*1


2 Installation de support MD-PTZ

En utilisant le MD-PTZBracket, l'appareil peut être sécurisé sous le MeetingDisplay. L'exemple suivant montre le UVC86 installé sous MeetingDisplay 75.


1. Installer le support MD-PTZ.




2. Placez le UVC86.



3. Correction de UVC86.




1 Contenido del paquete



Bracket*1



1/4 pulgada * 12 mm
Screw*6



(7,5m, 24,60ft)
Cable USB 2.0 (A - B)




Guía de inicio
rápido*1


2 Instalación del soporte MD-PTZ

Usando el MD-PTZBracket, el dispositivo se puede asegurar debajo del MeetingDisplay. El siguiente ejemplo muestra el UVC86 instalado bajo MeetingDisplay 75.


1. Instale el soporte MD-PTZ.




2. Coloca el UVC86.



3. UVC86 fijo.




1 Inhoud van pakket




Bracket*1



1/4 inch*12 mm
Screw*6



(1,5 m, 4,92 ft)
USB 2.0 (A - B) Kabel




Snelstartgids*1


MD-PTZBracket Installatie

Met de MD-PTZBracket kan het apparaat onder de MeetingDisplay worden vastgezet. Het volgende voorbeeld toont UVC86 geïnstalleerd onder MeetingDisplay 75.


1. Installeer de MD-PTZBracket.



2. Plaats de UVC86.



3. Vastgestelde UVC86.



About Yealink

Yealink (Stock Code: 300628) is a global-leading provider of Unified Communication & Collaboration Solutions specialized in video conferencing, voice communications, and collaboration, dedicated to helping every person and organization embrace the power of "Easy Collaboration, High Productivity".

With best-in-class quality, innovative technology, and user-friendly experiences, Yealink is one of the best providers in more than 140 countries and regions, ranks No.1 in the global market share of IP Phone, and is the Top 5 leader in the video conferencing market (Frost & Sullivan, 2021).

Technical Support

Visit Yealink WIKI (<http://support.yealink.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues.



430104003135

YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.
Web: www.yealink.com
Copyright©2025YEALINK(XIAMEN) NETWORK
TECHNOLOGY CO., LTD.All rights reserved.